

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S30	9988	pointer with end	USPAT	OR	OFF	2006/08/09 09:48
S31	216	S30 and 370/412-429.ccls.	USPAT	OR	OFF	2006/08/09 09:49
S32	198	S31 and @ad<="20010228"	USPAT	OR	OFF	2006/08/09 14:48
S33	925	pointer with end with reach\$4	USPAT	OR	OFF	2006/08/09 09:48
S34	27	S33 and 370/412-429.ccls.	USPAT	OR	OFF	2006/08/09 10:35
S35	260	(reorder\$4 or restar\$6 or refresh\$4) with reach\$6 with end	USPAT	OR	OFF	2006/08/09 10:35
S36	2	S35 and 370/412-429.ccls.	USPAT	OR	OFF	2006/08/09 14:09
S37	21	(reorder\$4 or restar\$6 or refresh\$4) with reach\$6 with end with (queue\$4 or buffer\$4)	USPAT	OR	OFF	2006/08/09 10:35
S38	278	(error or fail\$4 or fail\$4) with (memory or storage or queue\$4 or buffer\$4) with address with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 14:22
S39	12	S38 and 370/412-429.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 14:09
S40	45	(error or fail\$4 or fail\$4) with (memory or storage or queue\$4 or buffer\$4) with first with address with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 14:47
S41	700	(memory or storage or queue\$4 or buffer\$4) with (differen\$4 or many or rank\$4) with address\$4 with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 16:06
S42	120	S41 and (wireless or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 16:07
S43	29	S42 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 13:43

EAST Search History

S44	1750	(memory or storage or queue\$4 or buffer\$4) with (plurality or difference\$4 or many or rank\$4) with address\$4 with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 16:07
S45	1861	(memory or storage or queue\$4 or buffer\$4) with (plurality or difference\$4 or many or rank\$4) with address\$4 with destination\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:08
S46	286	S45 and (wireless or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:09
S47	82	S46 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 16:07
S48	53	S47 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 16:07
S49	415	370/412-429.ccls. and ((error or fail\$4 or fail\$6) with address\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:10
S50	293	S49 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:09
S51	2418	(memory or storage or queue\$4 or buffer\$4) with (plurality or difference\$4 or many or rank\$4 or list\$4) with address\$4 with destination\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:09
S52	412	S51 and (wireless or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:14
S53	115	S52 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:21

EAST Search History

S54	1	S53 and 370/412-429.ccls. and ((error or fail\$4 or faul\$6) with address\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:11
S55	6	S53 and 370/412-429.ccls. and (error or fail\$4 or faul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:12
S56	998	search\$4 with (queue\$4 or memory or buffer\$4 or storage) with (second\$5 or differen\$3) with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:43
S57	620	S56 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:44
S58	17	S57 and 370/412-429.ccls. and (error or fail\$4 or faul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 14:23
S59	71	search\$4 with (queue\$4 or memory or buffer\$4 or storage) with (second\$5 or differen\$3) with address\$2 with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:16
S60	37	S59 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:14
S61	0	370/412-429.ccls. and ((error or fail\$4 or faul\$6) with first with address) and (search\$4 with (second or differen\$2) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:13
S62	180	((error or fail\$4 or faul\$6) with first with address) and (search\$4 with (second or differen\$2) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:17
S63	100	S62 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:17

EAST Search History

S64	10	S63 and (wireless or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:14
S65	92	S63 and (queue\$4 or memory or buffer\$4 or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:16
S66	46	((error or fail\$4 or fail\$6) with first with address) and (search\$4 with (second or differen\$2) with address with (queue\$6 or memory or buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:17
S67	100	S63 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:17
S68	27	S66 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:30
S69	39	transmit\$4 with (error or fail\$4 or fail\$4) with (second\$4 or differen\$3) with address\$2 with destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:22
S70	61	(first with address with destination) same ((second or differen\$2) with address with destination) same (error or fail\$4 or fail\$4) same (queue\$4 or buffer\$4 or memory or database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:36
S71	35	S70 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:39
S72	0	(first near address near destination) same ((second or differen\$2) near address near destination) same (error or fail\$4 or fail\$4) same (queue\$4 or buffer\$4 or memory or database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 16:29

EAST Search History

S73	3471	pointer with second with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:37
S74	1605	pointer with second with address with (buffer\$4 or memory or queue\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:38
S75	36	pointer with second with address with (buffer\$4 or memory or queue\$4) with (error or fail\$4 or fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 15:38
S76	22	S75 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 16:34
S77	10	("5212806" "5745484" "5862452" "6088337" "6201811" "6349200" "6359872" "6381647" "6434137").PN. OR ("6496499").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/12 16:26
S78	0	(first near address\$2 near destination) same ((second or differen\$2) near address\$2 near destination) same (error or fail\$4 or fail\$4) same (queue\$4 or buffer\$4 or memory or database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 16:29
S79	4	(first near address\$2 near destination) same ((second or differen\$2) near address\$2 near destination) same (error or fail\$4 or fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 16:31
S80	7	(first near address\$2 near destination) and ((second or differen\$2) near address\$2 near destination) with (error or fail\$4 or fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 16:31
S81	7	(first near address\$2 near destination) and (((second or differen\$2) near address\$2 near destination) with (error or fail\$4 or fail\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 16:33

EAST Search History

S82	31	(first near destination) and (((second or differen\$2) near destination) with (error or faul\$4 or fail\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 16:34
S83	12	S82 and @ad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/12 16:34